



No Flicker



DIMMABLE



WET LOCATION (IP54)
ENDUROT HUMIDITY



50000 Hrs



LUMICOR
LIGHTING



FIRE RATED LED DOWNLIGHTS




- 4IN/6IN



2 HOUR FIRE RATING
TESTED TO COMPLY WITH UL 263
ASTM E119 & CAN ULC S101



Products Dimensions



Opening size
4" (105MM)



Opening size
6" (155MM)

FIRE RATED LED DOWNLIGHTS



5CCT



ORDERING INFORMATION


<i>Model No</i>	<i>Size</i>	<i>Voltage</i>	<i>Wattage</i>	<i>LUMEN</i>	<i>CCT(K)</i>
LM-FRDL-022D9-R-5C (2.7+6)-WL-F	4IN	AC120V	9W	810LM	5CCT(27K-30K-35K-40K-50K)
LM-FRDL-022F12-R-5C(2.7+5)-WL-F	6IN	AC120V	12W	1300LM	5CCT(27K-30K-35K-40K-50K)

Packages




INSTALLATION GUIDE

Fig. 1




1 Cut a Hole

Fig. 2




2 Connect Wiring

Fig. 3



3 Put and Connect

Fig. 4



4 Mount Light

Acessories

Item No.	Product Picture	Description	Specifications
LM-FRDL-02		New Construction Mounting Plate with Round hole 4\"(with hanger bar and with lips)	Size: Cut Hole Saw:105mm
LM-FRDL-03		New Construction Mounting Plate with Round hole 6\"(with hanger bar and with lips)	Size:321.66mm*230mm*45mm Cut Hole Saw:160mm
LM-FRDL-05		New Construction Mounting Plate with Round hole 3\" 4\"6\"8\"(with hanger bar)	Size:325mm*225mm*23mm Cut Hole Saw:77mm/110mm/160mm/210mm
LM-FRDL-06		New Construction Mounting Plate with Round hole 4\"(with hanger bar and no lips)	Size:336.5mm*145mm*42mm Cut Hole Saw:105/108mm
LM-FRDL-07		New Construction Mounting Plate with Round hole 6\"(with hanger bar and no lips)	Size:321.66mm*230mm*45mm Cut Hole Saw:160mm
LM-FRDL-09		26\"mounting plate round hole No lips with Round hole 3\"4\"6\" 0.7mm thickness-galvanized metal two side with measurement marking	Size: L660*W210*H0.7MM Hole size: 75/108/159mm
LM-FRDL-16		13\" Mounting Plate, no lip with Round hole 4 \" 0.7mm thickness-galvanized metal two side with measurement marking	Size: L336*W165*H0.7MM Hole size: 105mm
LM-FRDL-17		13\" Mounting Plate, no lip with Round hole 4 \" 0.7mm thickness-galvanized metal two side with measurement marking	Size: L336*W165*H0.7MM Hole size: 108mm
LM-FRDL-18		13\" Mounting Plate, no lip with Round hole 6 \" 0.7mm thickness-galvanized metal two side with measurement marking	Size: L336*W230*H0.7MM Hole size: 159mm
LM-FRDL-23		13\" Mounting Plate, , with lips with Round hole 4 \" 0.7mm thickness-galvanized metal two side with measurement marking	Size: L336*W165*H0.7MM Hole size: 105mm
LM-FRDL-24		13\" Mounting Plate, , with lips with Round hole 4 \" 0.7mm thickness-galvanized metal two side with measurement marking	Size: L336*W165*H0.7MM Hole size: 108mm
LM-FRDL-25		13\" Mounting Plate, , with lips with Round hole 6 \" 0.7mm thickness-galvanized metal two side with measurement marking	Size: L336*W230*H0.7MM Hole size: 159mm
LM-FRDL-32		26\"mounting plate round hole No lips with Round hole 4 \" 0.7mm thickness-galvanized metal two side with measurement marking	Size:L660*W157*H0.7MM Hole size:105mm
LM-FRDL-33		26\"mounting plate round hole No lips with Round hole 4 \" 0.7mm thickness-galvanized metal two side with measurement marking	Size:L660*W157*H0.7MM Hole size:108mm
LM-FRDL-34		26\"mounting plate round hole No lips with Round hole 6 \" 0.7mm thickness-galvanized metal two side with measurement marking	Size:L660*W210*H0.7MM Hole size:159mm